

NU confidence Instructions

Dr. George received a U.S. Patent, #11,179,415, on November 23, 2021. It is for the process of using chlorine dioxide for treating COVID-19 by disabling, treating, or attenuating the SARS COV-2 virus and all its future variants. You will be using it "off label", from its labelled instructions.

Directions for Use:

To ensure long shelf life, NUconfidence is provided in two separate containers.

- Pour the small, teaspoon sized, vial's contents into the larger Nu confidence (NUc.) bottle, tap the vial several times onto and into the NUc bottle, to ensure all the vial's contents are emptied.
- Replace and tighten bottle cap on larger bottle, **DO NOT SHAKE**.
- Wait **30** minutes, then invert the bottle three times to complete activation.
- Place a fourth of the larger bottle's contents into one of the one ounce nozzled dispensing (D.) bottles, fill to the bottom of its neck.
- Before use, turn dispensing bottle over three times to ensure any escaping chlorine dioxide gas incorporates back into the solution.
- Blow your nose gently if it is stuffy or runny.
- Use the lying-head-back position (LHB). Thus, lie on your back, ease your head over the edge of a bed, point your nose to the ceiling. Tilt your head slightly to one side, either right or left, making one nostril lower than the other. Tilt the D. bottle upside down, with its nozzle just outside of your lower nostril.
- Place 20 drops into the lower nostril. You will feel the drops as you dispense them from the bottle. If you notice that after several drops that they are starting to go down your throat, tilt your head a little more sideways (~20 degrees). When done, turn your head sideways, (~45 degrees). Stay in this position for two minutes. The aim is to get the liquid to go through the nasal cavity, not just into the throat, but into the sinuses. After two minutes, perform this same action on your other nostril.
- Repeat this procedure 3 times / day - morning, noon, and night.
- Store the NUc. bottle and the D. bottle in the refrigerator. This is because CLO₂ boils off slowly at 52 degrees Fahrenheit. The D. bottle should last 1 week. So, there is enough for two people to treat themselves for two weeks.